| KIT ABBREVIATION DESCRIPTIONS | | | | | | |
|-------------------------------|----------|---|------------------|--|--|--|
| В | Bushings | R | Rods | | | |
| BR | Bracket | S | Shells / Sleeves | | | |
| LR | Link Rod | Т | Tubes | | | |
| N | Nuts | W | Washers | | | |
| P | Plates | | | | | |

VB, VC, VH, VK, VL 1978 - 8/1988 Sedan

| 1978 - 8/1988 Sedan | | | | | |
|---------------------|--|----------|-----|-------------|---|
| LOCATION | DESCRIPTION | PART # | KIT | CONTENTS | DETAILS |
| Front | Bump Stop - Upper | BS01VBVL | 1 | 2B | SuperPro Polyurethane Heavy Duty front strut bump |
| Front | Control Arm Lower- Inner Bushing | BS02VBVL | 1 | 2B,2T,2S | |
| Front | Spring Insulator Bushing | BS03VBVL | 1 | 2B | Upper replacement of OE # 92002882 |
| Front | Steering Rack & Pinion Repair Kit | BS04VBVL | 1 | 2B | Manual steering only, VB, VC , VH, VK |
| Front | Steering Rack & Pinion Shaft Guide Manual Steering | BS05VBVL | 1 | 1B | VB, VC, VH & VK only |
| Front | Strut Bar | BS06VBVL | 1 | 2B | Fixed +2.0° Strut bar only, use BS07VBVL, BS08VBVL |
| Front | Strut Bar To Chassis Mount Kit | BS07VBVL | 1 | 2B,2T | |
| Front | Strut Bar To Lower Control Arm Kit | BS08VBVL | 1 | 4B,2T,4W | |
| Front | Strut Top Bushing | BS09VBVL | 1 | 4S | |
| Front | Sway Bar Link Bushing Kit | BS10VBVL | 1 | 8B | |
| Front | Sway Bar Link Rod Kit | BS11VBVL | 1 | 8B,8W,2R,4N | H/Duty conversion link rod & bushing replacement kit for "original" swaybar |
| Front | Sway Bar Link Rod Kit | BS12VBVL | 1 | 8B,8W,2R,4N | H/Duty conversion link rod & bushing replacement kit for "after-market" swaybar |
| Front | Sway Bar Mount To Chassis Bushing | BS13VBVL | 1 | 2B | Measure bar diameter 14,16,18,19,20,23,24,25,26,27,28,30 |
| Rear | Panhard Rod Bushing | BS14VBVL | 1 | 2B | |
| Rear | Panhard Rod Bushing | BS15VBVL | 1 | 2B,1T | Fits "Fulcrum Formula" adjustable panhard rod only |
| | | | | | |

| Rear | Shock Absorber Lower Bushing | BS16VBVL | 1 | 2B | Station wagon |
|------|------------------------------------|----------|---|----------|---|
| Rear | Spring Insulator Bushing | BS17VBVL | 2 | 1B | Solid axle, standard height vehicle |
| Rear | Spring Insulator Bushing | BS18VBVL | 2 | 1B | Solid axle rear, raises vehicle approximately 6mm |
| Rear | Spring Insulator Bushing | BS19VBVL | 2 | 1B | Solid axle rear, raises vehicle approximately 12mm |
| Rear | Sway Bar Link Bushing Kit | BS21VBVL | 1 | 8B | |
| Rear | Sway Bar Mount To Axle Bushing | BS22VBVL | 1 | 2B | Measure bar diameter14,16,18,19,20,21,22,24,25,27mm available |
| Rear | Trailing Arm Lower Front Bushing | BS23VBVL | 1 | 2B,2T,2S | |
| Rear | Trailing Arm Lower Rear Bushing | BS24VBVL | 1 | 2B,2T,2S | |
| Rear | Trailing Arm Upper Bushing All | BS25VBVL | 1 | 4B,4T,4S | |
| Rear | Trailing Arm Upper Bushing All | BS26VBVL | 1 | 4B,4T,4S | H/Duty fully machined outer shell (Performance application) |
| Rear | Trailing Arm Upper Bushing All | BS27VBVL | 1 | 4B,4T,4S | H/Duty fully machined outer shell (Performance application) |

VN to VP Sedan Wagon 9/1988 - 7/1993

| -1 1 | | |
|----------|---------------------------------------|----------|
| LOCATION | DESCRIPTION | |
| Front | Bump Stop - Upper | BS01VNVP |
| Front | Control Arm Lower- Inner Bushing | BS02VNVP |
| Front | Front End Alignment | BS03VNVP |
| Front | Spring Insulator Bushing | BS04VNVP |
| Front | Strut Bar | BS05VNVP |
| Front | Strut Bar To Chassis Mount Kit | BS06VNVP |
| Front | Strut Bar To Lower Control Arm Kit | BS07VNVP |
| | | |

| KIT | CONTENTS | DETAILS |
|-----|----------|---|
| 1 | 2B | SuperPro Polyurethane Heavy Duty front strut bump |
| 1 | 2B,2T,2S | |
| 1 | 2B,2T,2S | BS06VNVPx1, BS07VNVPx1, BS02VNVPx1 |
| 1 | 2B | Upper replacement of OE # 92002882 |
| 1 | 2B | Fixed +2.0° Strut bar only, use SPF0240K,SPF0756K |
| 1 | 2B,2T | |
| 1 | 4B,2T,4W | |

| Front | Strut Top Ruching | | 1 | 2B | |
|-------|---------------------------------------|----------|---|-------------|---|
| | • | BS08VNVP | _ | | Delegation in the contract of |
| Front | Sway Bar Link Bushing Kit | BS09VNVP | 1 | 8B | Bushes only to suit after-market sway bar & SPF987K |
| Front | Sway Bar Link Bushing Kit | BS10VNVP | 2 | 4B | Original sway bar |
| Front | Sway Bar Link Rod Kit | BS11VNVP | 1 | 8B,8W,2R,4N | H/Duty conversion link rod & bushing replacement kit for "original" swaybar |
| Front | Sway Bar Link Rod Kit | BS12VNVP | 1 | 8B,8W,2R,4N | H/Duty conversion link rod & bushing replacement kit for "after-market" swaybar |
| Front | Sway Bar Link Rod Kit | BS13VNVP | 1 | 8B,8W,2R,4N | H/Duty link rod & bushing replacement, fits from original swaybar to strut leg |
| Front | Sway Bar Mount To Chassis Bushing | BS14VNVP | 1 | 2B | Measure bar diameter 14,16,18,19,20,23,24,25,26,27,28,30 |
| Rear | Control Arm-Bush Kit | BS15VNVP | 2 | 4B,2T | IRS (Independent Rear Suspension) |
| Rear | Cross-member Supplement Washers | BS16VNVP | 1 | 4B | |
| Rear | IRS Adjusting Camber & Toe Kit | BS17VNVP | 1 | 8B,4T,1IS | Rear IRS Suspension |
| Rear | IRS Adjusting Kit Toe Only Bushing | BS18VNVP | 1 | 4B,2T | |
| Rear | IRS Bushing Removal Tool | BS19VNVP | 1 | 4B,2T | Specialised tool for removal of OE bushings |
| Rear | Panhard Rod Bushing | BS21VNVP | 1 | 2B | Solid axle rear |
| Rear | Panhard Rod Bushing | BS22VNVP | 1 | 2B,1T | Fits "Fulcrum Formula" adjustable panhard rod only |
| Rear | Shock Absorber Lower Bushing | BS23VNVP | 1 | 2B | Solid axle rear, ute & wagon |
| Rear | Shock Absorber Upper Bushing | BS24VNVP | 1 | 4B | Solid axle rear |
| Rear | Spring Insulator Bushing | BS25VNVP | 2 | 1B | Solid axle, standard height vehicle |
| Rear | Spring Insulator Bushing | BS26VNVP | 2 | 1B | Solid axle rear, raises vehicle approximately 6mm |
| Rear | Spring Insulator Bushing | BS27VNVP | 2 | 1B | Solid axle rear, raises vehicle approximately 12mm |
| Rear | Spring Insulator Upper Bushing | BS28VNVP | 2 | 1B | IRS Raises vehicle approximately 12mm |
| Rear | Spring Insulator Upper Bushing | BS29VNVP | 2 | 1B | IRS Raises vehicle approximately 15mm |
| | | | | | |

| Rear | Sub Frame Front Bushing | BS30VNVP | 1 | 4B,2T | IRS Only, Standard Replacement |
|------|---------------------------------------|----------|---|----------|---|
| Rear | Sub Frame Front Bushing | BS31VNVP | 1 | 4B,2T | IRS Only, Competition/Race Only |
| Rear | Sway Bar Link Bushing Kit | BS32VNVP | 1 | 8B | Solid axle rear |
| Rear | Sway Bar Link Lower Bushing | BS33VNVP | 1 | 4B,2T | IRS (Independent Rear Suspension) |
| Rear | Sway Bar Link Upper Bushing | BS34VNVP | 1 | 2B | IRS (Independent Rear Suspension) |
| Rear | Sway Bar Mount To Axle Bushing | BS35VNVP | 1 | 2B | Solid axle rear, measure bar diameter 14 to 27mm available |
| Rear | Sway Bar Mount To Cross-member Kit | BS36VNVP | 1 | 2B | IRS measure bar diameter 12,14,15,17,18,19,20,22,24,25mm |
| Rear | Trailing Arm Lower Front Bushing | BS37VNVP | 1 | 2B,2T,2S | Solid axle rear |
| Rear | Trailing Arm Lower Rear Bushing | BS38VNVP | 1 | 2B,2T,2S | Solid axle rear |
| Rear | Trailing Arm Upper Bushing All | BS39VNVP | 1 | 4B,4T,4S | Solid axle rear |
| Rear | Trailing Arm Upper Bushing All | BS40VNVP | 1 | 4B,4T,4S | H/Duty fully machined outer shell (Performance application) |
| Rear | Trailing Arm Upper Bushing All | BS41VNVP | 1 | 4B,4T,4S | H/Duty fully machined outer shell (Performance application) |

VG, VP UTE 10/1991 - 7/1993

| LOCATION | DESCRIPTION | |
|----------|-------------------------------------|--------|
| Front | Bump Stop - Upper | BS01VG |
| Front | Control Arm Lower- Inner Bushing | BS02VG |
| Front | Front End Alignment | BS03VG |
| Front | Spring Insulator Bushing | BS04VG |
| Front | Strut Bar | BS05VG |
| Front | Strut Bar To Chassis Mount Kit | BS06VG |
| | | |

| KIT | CONTENTS | DETAILS |
|-----|----------|---|
| 1 | 2B | SuperPro Polyurethane Heavy Duty front strut bump |
| 1 | 2B,2T,2S | |
| 1 | 2B,2T,2S | BS06VGx1, BS07VGx1, BS02VBVPx1 |
| 1 | 2B | Upper replacement of OE # 92002882 |
| 1 | 2B | Fixed +2.0° Strut bar only, use BS06VG,BS07VG |
| 1 | 2B,2T | |

| Front | Strut Bar To Lower | BS07VG | 1 | 4B,2T,4W | |
|-------|--------------------------------------|---------|---|-------------|---|
| TOTAL | Control Arm Kit | D307 VG | • | 7D,21,7VV | |
| Front | Strut Top Bushing | BS08VG | 1 | 2B | |
| Front | Sway Bar Link Bushing Kit | BS09VG | 1 | 8B | Bushes only to suit after-market sway bar |
| Front | Sway Bar Link Rod Kit | BS11VG | 1 | 8B,8W,2R,4N | H/Duty conversion link rod & bushing replacement kit for "original" swaybar |
| Front | Sway Bar Link Rod Kit | BS12VG | 1 | 8B,8W,2R,4N | H/Duty conversion link rod & bushing replacement kit for "after-market" swaybar |
| Front | Sway Bar Link Rod Kit | BS13VG | 1 | 8B,8W,2R,4N | H/Duty link rod & bushing replacement, fits from original swaybar to strut leg |
| Front | Sway Bar Mount To Chassis Bushing | BS14VG | 1 | 2B | Bar diameter 14,16,18,19,20,23,24,25,26,27,28,30mm |
| Rear | Bump Stop Shortened | BS42VG | 1 | 2B | Suit lowered suspension "Use with OE Foam bump |
| Rear | Bump Stop Shortened | BS43VG | 1 | 2B | Suit Extra lowered suspension "Remove OE Foam" |
| Rear | Panhard Rod Bushing | BS21VG | 1 | 2B | |
| Rear | Panhard Rod Bushing | BS44VG | 1 | 2B,1T | Fits "Fulcrum Formula" adjustable panhard rod only |
| Rear | Shock Absorber Lower Bushing | BS23VG | 1 | 2B | |
| Rear | Shock Absorber Upper Bushing | BS45VG | 1 | 4B | |
| Rear | Spring Insulator Bushing | BS46VG | 2 | 1B | Solid axle, standard height vehicle |
| Rear | Spring Insulator Bushing | BS47VG | 2 | 1B | Solid axle rear, raises vehicle approximately 6mm |
| Rear | Spring Insulator Bushing | BS48VG | 2 | 1B | Solid axle rear, raises vehicle approximately 12mm |
| Rear | Sway Bar Link Bushing Kit | BS49VG | 1 | 8B | |
| Rear | Sway Bar Mount To Axle Bushing | BS50VG | 1 | 2B | Measure bar diameter14,16,18,19,20,21,22,24,25,27mm available |
| Rear | Trailing Arm Lower Front Bushing | BS51VG | 1 | 2B,2T,2S | |
| Rear | Trailing Arm Lower Rear Bushing | BS52VG | 1 | 2B,2T,2S | |
| Rear | Trailing Arm Upper Bushing All | BS53VG | 1 | 4B,4T,4S | |
| | | | | | |

| Rear | Trailing Arm Upper Bushing All | BS54VG | 1 | 4B,4T,4S | H/Duty fully machined outer shell (Performance application) |
|------|-----------------------------------|--------|---|----------|---|
| Rear | Trailing Arm Upper Bushing All | BS55VG | 1 | 4B,4T,4S | H/Duty fully machined outer shell (Performance application) |

VR to VS Sedan Wagon 7/1993 - 8/1997

| DESCRIPTION | | KIT | CONTENTS | DETAILS |
|---------------------------------------|--|---|--|--|
| Coil Spring Spacer Bushing | BS01VRVS | 2 | 1B | |
| Coil Spring Spacer Bushing | BS02VRVS | 2 | 1B | |
| Control Arm Lower- Inner Bushing | BS03VRVS | 1 | 2B,2T | |
| Front End Alignment | BS04VRVS | 1 | 2B,2T | BS07VRVSx1, BS09VRVSx1, BS03VRVSKx1 |
| Spring Insulator Bushing | BS05VRVS | 1 | 2B | Upper replacement of OE # 92002882 |
| Strut Bar | BS06VRVS | 1 | 2B | Fixed +2.0° Strut bar only, use BS07VRVS,BS09VRVS |
| Strut Bar To Chassis Mount Kit | BS07VRVS | 1 | 2B,2T | |
| Strut Bar To Lower Control Arm Kit | BS08VRVS | 1 | 4B,2T | Suited to cast steel arms, Comfort option to be used with BS07VT |
| Strut Bar To Lower Control Arm Kit | BS09VRVS | 1 | 4B,2T,4W | |
| Strut Top & Bearing | BS10VRVS | 1 | 2B,2Bea | |
| Strut Top Bushing | BS11VRVS | 1 | 2B,2T | Replaces original part number 92048903, Bearing not included in kit, for bearing order SPF1590BK |
| Sway Bar Link Bushing Kit | BS12VRVS | 1 | 8B | Bushes only to suit after-market sway bar & SPF987K |
| Sway Bar Link to Strut Kit | BS13VRVS | 1 | 8B,8W,2R,4N | H/Duty link rod replacement & bushing kit |
| Sway Bar Mount To Chassis Bushing | BS14VRVS | 1 | 2B | Measure bar diameter 14,16,18,19,20,23,24,25,26,27,28,30 |
| Control Arm-Bush Kit | BS15VRVS | 2 | 4B,2T | IRS (Independent Rear Suspension) |
| Cross-member Supplement Washers | BS16VRVS | 1 | 4B | |
| | Coil Spring Spacer Bushing Coil Spring Spacer Bushing Control Arm Lower- Inner Bushing Front End Alignment Spring Insulator Bushing Strut Bar Strut Bar To Chassis Mount Kit Strut Bar To Lower Control Arm Kit Strut Bar To Lower Control Arm Kit Strut Top & Bearing Strut Top Bushing Strut Top Bushing Kit Sway Bar Link Bushing Kit Sway Bar Mount To Chassis Bushing Control Arm-Bush Kit Cross-member | Coil Spring Spacer Bushing Coil Spring Spacer Bushing Control Arm Lower- Inner Bushing Front End Alignment Spring Insulator Bushing Strut Bar Strut Bar To Chassis Mount Kit Strut Bar To Lower Control Arm Kit Strut Bar To Lower Control Arm Kit Strut Top & Bearing Strut Top Bushing Strut Top Bushing Strut Bar Link Bushing Kit Sway Bar Link to Strut Kit Sway Bar Mount To Chassis Bushing Control Arm-Bush Kit BS03VRVS BS04VRVS BS05VRVS BS06VRVS BS07VRVS BS08VRVS | Coil Spring Spacer Bushing Coil Spring Spacer Bushing Control Arm Lower- Inner Bushing Front End Alignment Spring Insulator Bushing Strut Bar Strut Bar To Chassis Mount Kit Strut Bar To Lower Control Arm Kit Strut Bar To Lower Control Arm Kit Strut Top & Bearing Strut Top Bushing BS10VRVS Sway Bar Link bushing BS12VRVS Sway Bar Mount To Chassis Bushing Control Arm-Bush Kit BS05VRVS 1 SB06VRVS 1 SB07VRVS 1 SB08VRVS 1 SUBURT SUB | Coil Spring Spacer Bushing BS01VRVS 2 1B Coil Spring Spacer Bushing BS02VRVS 2 1B Control Arm Lower- Inner Bushing BS03VRVS 1 2B,2T Front End Alignment Spring Insulator Bushing BS04VRVS 1 2B,2T Spring Insulator Bushing BS05VRVS 1 2B Strut Bar BS06VRVS 1 2B Strut Bar To Chassis Mount Kit BS07VRVS 1 2B,2T Mount Kit BS08VRVS 1 4B,2T Control Arm Kit BS09VRVS 1 4B,2T Control Arm Kit BS10VRVS 1 2B,2Bea Strut Top & Bearing BS10VRVS 1 2B,2Bea Strut Top Bushing BS11VRVS 1 8B Kit Sway Bar Link to Strut Kit BS13VRVS 1 8B,8W,2R,4N Sway Bar Mount To Chassis Bushing BS14VRVS 1 2B Control Arm-Bush Kit BS15VRVS 2 4B,2T Cross-member BS16VRVS 1 4B |

| Rear | IRS Adjusting Camber & Toe Kit | BS17VRVS | 1 | 8B,4T,1IS | |
|------|---------------------------------------|----------|---|-----------|--|
| Rear | IRS Adjusting Kit Toe Only Bushing | BS18VRVS | 1 | 4B,2T | |
| Rear | IRS Bushing Removal Tool | BS19VRVS | 1 | 4B,2T | Specialised tool for removal of OE bushings |
| Rear | Panhard Rod Bushing | BS21VRVS | 1 | 2B | Solid axle rear |
| Rear | Panhard Rod Bushing | BS22VRVS | 1 | 2B,1T | Fits "Fulcrum Formula" adjustable panhard rod only |
| Rear | Shock Absorber Lower Bushing | BS23VRVS | 1 | 2B | Ute & station wagon |
| Rear | Shock Absorber Upper Bushing | BS24VRVS | 1 | 4B | Solid & IRS axle |
| Rear | Spring Insulator Bushing | BS25VRVS | 2 | 1B | Solid axle, standard height vehicle |
| Rear | Spring Insulator Bushing | BS26VRVS | 2 | 1B | Solid axle rear, raises vehicle approximately 6mm |
| Rear | Spring Insulator Bushing | BS27VRVS | 2 | 1B | Solid axle rear, raises vehicle approximately 12mm |
| Rear | Spring Insulator Upper Bushing | BS28VRVS | 2 | 1B | IRS Raises vehicle approximately 12mm |
| Rear | Spring Insulator Upper Bushing | BS29VRVS | 2 | 1B | IRS Raises vehicle approximately 15mm |
| Rear | Sub Frame Front Bushing | BS30VRVS | 1 | 4B,2T | IRS Only, Standard Replacement |
| Rear | Sub Frame Front Bushing | BS31VRVS | 1 | 4B,2T | IRS Only, Competition/Race Only |
| Rear | Sway Bar Link Bushing Kit | BS32VRVS | 1 | 8B | |
| Rear | Sway Bar Link Lower Bushing | BS33VRVS | 1 | 4B,2T | IRS (Independent Rear Suspension) |
| Rear | Sway Bar Link Upper Bushing | BS34VRVS | 1 | 2B | IRS (Independent Rear Suspension) |
| Rear | Sway Bar Mount To Axle Bushing | BS35VRVS | 1 | 2B | Solid axle rear, measure bar diameter 14 to 27mm available |
| Rear | Sway Bar Mount To Cross-member Kit | BS36VRVS | 1 | 2B | IRS measure bar diameter 12,14,15,17,18,19,20,22,24,25mm |
| Rear | Trailing Arm Lower Front Bushing | BS37VRVS | 1 | 2B,2T,2S | Solid axle rear |
| | | | | | |

| Rear | Trailing Arm Lower Rear Bushing | BS38VRVS | 1 | 2B,2T,2S | Solid axle rear |
|------|------------------------------------|----------|---|----------|---|
| Rear | Trailing Arm Upper Bushing All | BS39VRVS | 1 | 4B,4T,4S | Solid axle rear |
| Rear | Trailing Arm Upper Bushing All | BS40VRVS | 1 | 4B,4T,4S | H/Duty fully machined outer shell (Performance application) |
| Rear | Trailing Arm Upper Bushing All | BS41VRVS | 1 | 4B,4T,4S | H/Duty fully machined outer shell (Performance application) |
| Rear | Spring Insulator Upper Bushing | BS42VRVS | 2 | 1B | IRS Raises vehicle approximately 9mm |

VR to VS UTE 1993 - 1/2001

| 1333 1/2001 | | | | | |
|-------------|---------------------------------------|-----------|-----|-------------|--|
| LOCATION | DESCRIPTION | | KIT | CONTENTS | DETAILS |
| Front | Coil Spring Spacer Bushing | BS01VRVSU | 2 | 1B | |
| Front | Coil Spring Spacer Bushing | BS02VRVSU | 2 | 1B | |
| Front | Control Arm Lower- Inner Bushing | BS03VRVSU | 1 | 2B,2T | |
| Front | Front End Alignment | BS04VRVSU | 1 | 2B,2T | BS07VRVSUx1, BS09VRVSUx1, SPF0842Kx1 |
| Front | Spring Insulator Bushing | BS05VRVSU | 1 | 2B | Upper replacement of OE # 92002882 |
| Front | Strut Bar | BS06VRVSU | 1 | 2B | Fixed +2.0° Strut bar only, use BS07VRVSU, BS09VRVSU |
| Front | Strut Bar To Chassis Mount Kit | BS07VRVSU | 1 | 2B,2T | |
| Front | Strut Bar To Lower Control Arm Kit | BS09VRVSU | 1 | 4B,2T,4W | |
| Front | Strut Top & Bearing | BS10VRVSU | 1 | 2B,2Bea | |
| Front | Strut Top Bushing | BS11VRVSU | 1 | 2B,2T | Replaces original part number 92048903, Bearing not included in kit, for bearing order SPF1590BK |
| Front | Sway Bar Link Bushing Kit | BS12VRVSU | 1 | 8B | Bushes only to suit after-market sway bar & BS10VRVSU |
| Front | Sway Bar Link to Strut Kit | BS13VRVSU | 1 | 8B,8W,2R,4N | H/Duty link rod replacement & bushing kit |

| Rear Bump Stop Shortened BS42VNVPU 1 2B Suit lowered suspension "Use with OE Foam bump Rear Bump Stop Shortened B543VNVPU 1 2B Suit Extra lowered suspension "Beam bump Stop Shortened B543VNVPU 1 2B Solid axle rear Solid axle rear Rear Panhard Rod Bushing BS21VRVSU Beam BS23VRVSU Bushing BS24VRVSU Bushing BS34VRVSU Bushing BS24VRVSU Bushing BS24VRVSU Bushing BS24VRVSU Bushing BS25VRVSU Bushing BS25VRVSU Bushing BS25VRVSU Bushing BS25VRVSU Bushing BS25VRVSU Bushing BS25VRVSU BS25VRVSU BUshing BS26VRVSU BS26VRVSU BUshing BS27VRVSU BS2 | Front | Sway Bar Mount To Chassis Bushing | BS14VRVSU | 1 | 2B | Measure bar diameter 14,16,18,19,20,23,24,25,26,27,28,30 |
|---|-------|---|-----------|---|----------|--|
| Rear Panhard Rod Bushing BS21VRVSU 1 2B Solid axle rear Rear Panhard Rod Bushing BS22VRVSU 1 2B,1T Fits "Fulcrum Formula" adjustable panhard rod only Rear Shock Absorber Lower Bushing BS23VRVSU 1 2B Rear Shock Absorber Upper Bushing BS24VRVSU 1 4B Rear Spring Insulator Bushing BS25VRVSU 2 1B Solid axle, standard height vehicle Rear Spring Insulator Bushing BS26VRVSU 2 1B Solid axle rear, raises vehicle approximately 6mm Rear Spring Insulator Bushing BS27VRVSU 2 1B Solid axle rear, raises vehicle approximately 12mm Rear Spring Insulator Bushing BS32VRVSU 1 8B Rear Sway Bar Link Bushing BS32VRVSU 1 8B Rear Sway Bar Mount To Axle Bushing BS35VRVSU 1 2B Solid axle rear, measure bar diameter 14 to 27mm available Rear Trailing Arm Lower Front Bushing BS37VRVSU 1 2B,2T,2S Solid axle rear Rear Trailing Arm Upper Bushing All BS39VRVSU 1 | Rear | Bump Stop Shortened | BS42VNVPU | 1 | 2B | Suit lowered suspension "Use with OE Foam bump |
| Rear Panhard Rod Bushing BS22VRVSU 1 2B,1T Fits "Fulcrum Formula" adjustable panhard rod only Rear Shock Absorber Lower Bushing BS23VRVSU 1 2B Rear Shock Absorber Upper Bushing BS24VRVSU 1 4B Rear Spring Insulator Bushing BS25VRVSU 2 1B Solid axle, standard height vehicle Rear Spring Insulator Bushing BS26VRVSU 2 1B Solid axle rear, raises vehicle approximately 6mm Rear Spring Insulator Bushing BS27VRVSU 2 1B Solid axle rear, raises vehicle approximately 12mm Rear Spring Insulator Bushing BS32VRVSU 1 8B Rear Sway Bar Link Bushing BS32VRVSU 1 8B Rear Sway Bar Mount To Axle Bushing BS35VRVSU 1 2B Solid axle rear, measure bar diameter 14 to 27mm available Rear Trailing Arm Lower Front Bushing BS37VRVSU 1 2B,2T,2S Solid axle rear Rear Trailing Arm Lower Bushing All BS38VRVSU 1 2B,2T,2S Solid axle rear Rear Trailing Arm Upper Bushing All BS40VRVSU | Rear | Bump Stop Shortened | BS43VNVPU | 1 | 2B | Suit Extra lowered suspension "Remove OE Foam" |
| Rear Shock Absorber Lower Bushing BS23VRVSU Bushing 1 2B Rear Shock Absorber Upper Bushing BS24VRVSU Bushing 1 4B Rear Spring Insulator Bushing BS25VRVSU Bushing 2 1B Solid axle, standard height vehicle such bushing Rear Spring Insulator Bushing All 1 2B Solid axle rear, raises vehicle approximately 12mm Bushing | Rear | Panhard Rod Bushing | BS21VRVSU | 1 | 2B | Solid axle rear |
| Bushing Rear Shock Absorber Upper BS24VRVSU 1 4B Bushing Rear Spring Insulator BS25VRVSU 2 1B Solid axle, standard height vehicle Bushing Rear Spring Insulator BS26VRVSU 2 1B Solid axle rear, raises vehicle approximately 6mm Bushing Rear Spring Insulator BS27VRVSU 2 1B Solid axle rear, raises vehicle approximately 12mm Bushing Rear Sway Bar Link Bushing BS32VRVSU 1 8B Rear Sway Bar Mount To Axle Bushing BS35VRVSU 1 2B Solid axle rear, measure bar diameter 14 to 27mm Axle Bushing Rear Trailing Arm Lower Front Bushing BS37VRVSU 1 2B,2T,2S Solid axle rear Rear Bushing Arm Lower Rear Bushing BS38VRVSU 1 2B,2T,2S Solid axle rear Rear Trailing Arm Upper BS38VRVSU 1 4B,4T,4S Solid axle rear Bushing All Rear Trailing Arm Upper BS41VRVSU 1 4B,4T,4S H/Duty fully machined outer shell (Performance application) Rear Trailing Arm Upper BS41VRVSU 1 4B,4T,4S H/Duty fully machined outer shell (Performance | Rear | Panhard Rod Bushing | BS22VRVSU | 1 | 2B,1T | Fits "Fulcrum Formula" adjustable panhard rod only |
| Bushing Rear Spring Insulator BS25VRVSU 2 1B Solid axle, standard height vehicle Bushing Rear Spring Insulator BS26VRVSU 2 1B Solid axle rear, raises vehicle approximately 6mm Bushing Rear Spring Insulator BS27VRVSU 2 1B Solid axle rear, raises vehicle approximately 12mm Bear Sway Bar Link Bushing BS32VRVSU 1 8B Rear Sway Bar Mount To Axle Bushing BS35VRVSU 1 2B Solid axle rear, measure bar diameter 14 to 27mm Axle Bushing BS37VRVSU 1 2B Solid axle rear, measure bar diameter 14 to 27mm Axle Bushing BS37VRVSU 1 2B,2T,2S Solid axle rear Front Bushing BS38VRVSU 1 2B,2T,2S Solid axle rear Frailing Arm Lower Rear Bushing BS38VRVSU 1 2B,2T,2S Solid axle rear Frailing Arm Upper BS39VRVSU 1 4B,4T,4S Solid axle rear Frailing Arm Upper BS40VRVSU 1 4B,4T,4S H/Duty fully machined outer shell (Performance application) Rear Trailing Arm Upper BS41VRVSU 1 4B,4T,4S H/Duty fully machined outer shell (Performance application) | Rear | | BS23VRVSU | 1 | 2B | |
| Bushing Rear Spring Insulator Bushing Rear Sway Bar Link Bushing BS32VRVSU 1 88 Kit Rear Sway Bar Mount To Axle Bushing BS35VRVSU 1 2B Solid axle rear, measure bar diameter 14 to 27mm available Rear Trailing Arm Lower Front Bushing Rear Trailing Arm Lower Rear Bushing Rear Trailing Arm Upper BS39VRVSU 1 2B,2T,2S Solid axle rear Rear Bushing All Rear Trailing Arm Upper BS39VRVSU 1 4B,4T,4S Solid axle rear Rear Bushing All Rear Trailing Arm Upper BS40VRVSU 1 4B,4T,4S H/Duty fully machined outer shell (Performance application) Rear Trailing Arm Upper BS41VRVSU 1 4B,4T,4S H/Duty fully machined outer shell (Performance | Rear | | BS24VRVSU | 1 | 4B | |
| Rear Spring Insulator Bushing Solid axle rear, raises vehicle approximately 12mm Rear Sway Bar Link Bushing BS32VRVSU 1 8B Solid axle rear, raises vehicle approximately 12mm Rear Sway Bar Mount To Axle Bushing BS35VRVSU 1 2B Solid axle rear, measure bar diameter 14 to 27mm available Rear Trailing Arm Lower Front Bushing BS37VRVSU 1 2B,2T,2S Solid axle rear Rear Trailing Arm Lower Rear Bushing BS38VRVSU 1 2B,2T,2S Solid axle rear Trailing Arm Lower Rear Bushing BS38VRVSU 1 2B,2T,2S Solid axle rear Rear Trailing Arm Upper BS39VRVSU 1 4B,4T,4S Solid axle rear Rear Trailing Arm Upper BS40VRVSU 1 4B,4T,4S H/Duty fully machined outer shell (Performance application) Rear Trailing Arm Upper BS41VRVSU 1 4B,4T,4S H/Duty fully machined outer shell (Performance | Rear | • | BS25VRVSU | 2 | 1B | Solid axle, standard height vehicle |
| Bushing Rear Sway Bar Link Bushing BS32VRVSU 1 8B Rear Sway Bar Mount To Axle Bushing BS35VRVSU 1 2B Solid axle rear, measure bar diameter 14 to 27mm available Rear Trailing Arm Lower Front Bushing BS37VRVSU 1 2B,2T,2S Solid axle rear Rear Trailing Arm Lower Rear Bushing BS38VRVSU 1 2B,2T,2S Solid axle rear Trailing Arm Lower Rear Bushing BS38VRVSU 1 2B,2T,2S Solid axle rear Rear Trailing Arm Upper BS39VRVSU 1 4B,4T,4S Solid axle rear Trailing Arm Upper BS40VRVSU 1 4B,4T,4S H/Duty fully machined outer shell (Performance application) Rear Trailing Arm Upper BS41VRVSU 1 4B,4T,4S H/Duty fully machined outer shell (Performance | Rear | . • | BS26VRVSU | 2 | 1B | Solid axle rear, raises vehicle approximately 6mm |
| Rear Sway Bar Mount To Axle Bushing BS35VRVSU 1 2B Solid axle rear, measure bar diameter 14 to 27mm available Rear Trailing Arm Lower Front Bushing BS37VRVSU 1 2B,2T,2S Solid axle rear Solid axle rear Front Bushing BS38VRVSU 1 2B,2T,2S Solid axle rear Front Bushing BS38VRVSU 1 2B,2T,2S Solid axle rear Solid axle rear Bushing BS38VRVSU 1 4B,4T,4S Solid axle rear Bushing All BS40VRVSU 1 4B,4T,4S H/Duty fully machined outer shell (Performance application) Rear Trailing Arm Upper BS41VRVSU 1 4B,4T,4S H/Duty fully machined outer shell (Performance | Rear | • | BS27VRVSU | 2 | 1B | Solid axle rear, raises vehicle approximately 12mm |
| Axle Bushing Rear Trailing Arm Lower Front Bushing Rear Trailing Arm Lower Rear Bushing Rear Trailing Arm Upper BS39VRVSU Rear Trailing Arm Upper BS40VRVSU Rear Trailing Arm Upper BS41VRVSU Rear | Rear | | BS32VRVSU | 1 | 8B | |
| Front Bushing Rear Trailing Arm Lower Rear Bushing Rear Trailing Arm Upper BS39VRVSU 1 4B,4T,4S Solid axle rear Trailing Arm Upper BS41VRVSU 1 4B,4T,4S H/Duty fully machined outer shell (Performance application) Rear Trailing Arm Upper BS41VRVSU 1 4B,4T,4S H/Duty fully machined outer shell (Performance application) | Rear | | BS35VRVSU | 1 | 2B | |
| Rear Bushing Rear Trailing Arm Upper BS39VRVSU 1 4B,4T,4S Solid axle rear Bushing All Rear Trailing Arm Upper BS40VRVSU 1 4B,4T,4S H/Duty fully machined outer shell (Performance application) Rear Trailing Arm Upper BS41VRVSU 1 4B,4T,4S H/Duty fully machined outer shell (Performance application) | Rear | | BS37VRVSU | 1 | 2B,2T,2S | Solid axle rear |
| Rear Trailing Arm Upper BS40VRVSU 1 4B,4T,4S H/Duty fully machined outer shell (Performance application) Rear Trailing Arm Upper BS41VRVSU 1 4B,4T,4S H/Duty fully machined outer shell (Performance application) | Rear | | BS38VRVSU | 1 | 2B,2T,2S | Solid axle rear |
| Bushing All application) Rear Trailing Arm Upper BS41VRVSU 1 4B,4T,4S H/Duty fully machined outer shell (Performance | Rear | • | BS39VRVSU | 1 | 4B,4T,4S | Solid axle rear |
| | Rear | • | BS40VRVSU | 1 | 4B,4T,4S | · · · · · · · · · · · · · · · · · · · |
| | Rear | • | BS41VRVSU | 1 | 4B,4T,4S | · · · · · · · · · · · · · · · · · · · |

VT Sedan Wagon 9/1997 - 7/2000

| LOCATION | DESCRIPTION | |
|----------|-------------------------------|--------|
| Front | Coil Spring Spacer Bushing | BS01VT |

| KIT | CONTENTS | DETAILS |
|-----|----------|---------|
| 2 | 1B | |

| Front | Coil Spring Spacer Bushing | BS02VT | 2 | 1B | |
|-------|---|--------|---|--------------|--|
| Front | Control Arm Lower- Inner Bushing | BS03VT | 1 | 2B,2T | |
| Front | Front End Alignment | BS04VT | 1 | 2B,2T | BS07VTx1, BS09VTx1, BS03VTx1 |
| Front | Spring Insulator Bushing | BS05VT | 1 | 2B | Upper replacement of OE # 92002882 |
| Front | Steering Rack & Pinion Mount Bushing | BS06VT | 1 | 1B | Left hand side only, Replaces OE# 92140790 |
| Front | Strut Bar To Chassis Mount Kit | BS07VT | 1 | 2B,2T,10W,2P | Caster adjustable kit |
| Front | Strut Bar To Lower Control Arm Kit | BS08VT | 1 | 4B,2T | Suited to cast steel arms, Comfort option to be used with BS07VT |
| Front | Strut Bar To Lower Control Arm Kit | BS09VT | 1 | 4B,2T,4W | |
| Front | Strut Top & Bearing | BS10VT | 1 | 2B,2Bea | |
| Front | Strut Top Bushing | BS11VT | 1 | 2B,2T | Replaces original part number 92048903, Bearing not included in kit, for bearing order SPF1590BK |
| Front | Sway Bar Link Bushing Kit | BS12VT | 1 | 8B | Bushes only to suit after-market sway bar |
| Front | Sway Bar Link Bushing Kit | BS13VT | 2 | 4B | Replacement bushings for SPF0987K |
| Front | Sway Bar Link to Strut Kit | BS14VT | 1 | 8B,8W,2R,4N | H/Duty link rod replacement & bushing kit |
| Front | Sway Bar Mount To Chassis Bushing | BS15VT | 1 | 2B | Measure bar diameter & supply size, Kit will only suit factory bracket |
| Rear | Control Arm-Bush Kit | BS16VT | 2 | 4B,2T | |
| Rear | Cross-member Supplement Washers | BS17VT | 1 | 4B | HSV series use lower bushing only, as factory is solid top |
| Rear | IRS Adjusting Camber & Toe Kit | BS18VT | 1 | 8B,4T,1IS | |
| Rear | IRS Adjusting Kit Toe Only Bushing | BS19VT | 1 | 4B,2T | |
| Rear | IRS Bushing Removal Tool | BS21VT | 1 | 4B,2T | Specialised tool for removal of OE bushings |
| Rear | Shock Absorber Upper Bushing | BS22VT | 1 | 4B | Solid & IRS axle |

| Rear | Spring Insulator Upper Bushing | BS23VT | 2 | 1B | IRS Raises vehicle approximately 9mm |
|------|---------------------------------------|--------|---|-------|--|
| Rear | Spring Insulator Upper Bushing | BS24VT | 2 | 1B | IRS Raises vehicle approximately 12mm |
| Rear | Spring Insulator Upper Bushing | BS25VT | 2 | 1B | IRS Raises vehicle approximately 15mm |
| Rear | Sub Frame Front Bushing | BS26VT | 1 | 4B,2T | IRS Only, Standard Replacement |
| Rear | Sub Frame Front Bushing | BS27VT | 1 | 4B,2T | IRS Only, Competition/Race Only |
| Rear | Sway Bar Link Bushing Kit | BS28VT | 1 | 8B,4T | |
| Rear | Sway Bar Mount To Cross-member Kit | BS29VT | 1 | 2B | Measure bar diameter 12,14,15,17,18,19,20,22,24,25mm |

VX Sedan Wagon 10/2000 - 9/2002

| LOCATION | DESCRIPTION | |
|----------|---|--------|
| Front | Coil Spring Spacer Bushing | BS01VX |
| Front | Coil Spring Spacer Bushing | BS02VX |
| Front | Control Arm Lower- Inner Bushing | BS03VX |
| Front | Front End Alignment | BS04VX |
| Front | Steering Rack & Pinion Mount Bushing | BS05VX |
| Front | Strut Bar To Chassis Mount Kit | BS06VX |
| Front | Strut Bar To Lower Control Arm Kit | BS07VX |
| Front | Strut Bar To Lower Control Arm Kit | BS08VX |
| Front | Strut Top & Bearing | BS09VX |
| Front | Strut Top Bushing | BS10VX |

| KIT | CONTENTS | DETAILS |
|-----|--------------|---|
| 2 | 1B | |
| 2 | 1B | |
| 1 | 2B,2T | |
| 1 | 2B,2T | BS06VXx1, BS08VXx1, BS03VXx1 |
| 1 | 1B | Left hand side only, Replaces OE# 92140790 |
| 1 | 2B,2T,10W,2P | Caster adjustable kit |
| 1 | 4B,2T | Suited to cast steel arms, Comfort option to be used with BS06VX |
| 1 | 4B,2T,4W | |
| 1 | 2B,2Bea | |
| 1 | 2B,2T | Replaces original part number 92048903, Bearing not included in kit, for bearing order BS09VX |

| Front | Sway Bar Link Bushing Kit | BS11VX | 1 | 4B | Strut end only, Vehicle has ball joint type end at sway bar, must re-use all origin al washers |
|-------|---------------------------------------|--------|---|------------|--|
| Front | Sway Bar Link Rod Kit | BS12VX | 1 | 4B,2LR,1IS | |
| Front | Sway Bar Mount To Chassis Bushing | BS13VX | 1 | 2B | Measure bar diameter & supply size, Kit will only suit factory bracket |
| Rear | Control Arm-Bush Kit | BS14VX | 2 | 4B,2T | |
| Rear | Cross-member Supplement Washers | BS15VX | 1 | 4B | HSV series use lower bushing only, as factory is solid top |
| Rear | IRS Adjusting Camber & Toe Kit | BS16VX | 1 | 8B,4T,1IS | Suited to vehicles without "Factory Toe Adjusting Arm" |
| Rear | IRS Adjusting Camber Only Kit | BS17VX | 1 | 4B,2T | Suited to vehicles fitted with "Factory Toe Adjusting Arm" |
| Rear | IRS Adjusting Kit Toe Only Bushing | BS18VX | 1 | 4B,2T | Suited to vehicles without "Factory Toe Adjusting Arm" |
| Rear | IRS Bushing Removal Tool | BS19VX | 1 | 4B,2T | Specialised tool for removal of OE bushings |
| Rear | Shock Absorber Upper Bushing | BS21VX | 1 | 4B | |
| Rear | Spring Insulator Upper Bushing | BS22VX | 2 | 1B | IRS Raises vehicle approximately 9mm |
| Rear | Spring Insulator Upper Bushing | BS23VX | 2 | 1B | IRS Raises vehicle approximately 12mm |
| Rear | Spring Insulator Upper Bushing | BS24VX | 2 | 1B | IRS Raises vehicle approximately 15mm |
| Rear | Sub Frame Front Bushing | BS25VX | 1 | 4B,2T | IRS Only, Standard Replacement |
| Rear | Sub Frame Front Bushing | BS26VX | 1 | 4B,2T | IRS Only, Competition/Race Only |
| Rear | Sway Bar Link Bushing Kit | BS27VX | 1 | 8B,4T | |
| Rear | Sway Bar Mount To Cross-member Kit | BS28VX | 1 | 2B | Measure bar diameter 12,14,15,17,18,19,20,22,24,25mm |

VU Series

2/2001 - 2002

| LOCATION | DESCRIPTION | KIT | CONTENTS | DETAILS | |
|----------|-------------|-----|----------|---------|--|
| | | | | | |

| _ | | | | | |
|-------|---|---------|---|--------------|--|
| Front | Coil Spring Spacer Bushing | BS01VTU | 2 | 1B | |
| Front | Coil Spring Spacer Bushing | BS02VTU | 2 | 1B | |
| Front | Control Arm Lower- Inner Bushing | BS03VTU | 1 | 2B,2T | |
| Front | Front End Alignment | BS04VTU | 1 | 2B,2T | SPFBS07VTUx1, BS08VTUx1, BS03VTUx1 |
| Front | Spring Insulator Bushing | BS05VTU | 1 | 2B | Upper replacement of OE # 92002882 |
| Front | Steering Rack & Pinion Mount Bushing | BS06VTU | 1 | 1B | Left hand side only, Replaces OE# 92140790 |
| Front | Strut Bar To Chassis Mount Kit | BS07VTU | 1 | 2B,2T,10W,2P | Caster adjustable kit |
| Front | Strut Bar To Lower Control Arm Kit | BS08VTU | 1 | 4B,2T | Suited to cast steel arms, Comfort option to be used with BS07VTU |
| Front | Strut Bar To Lower Control Arm Kit | BS09VTU | 1 | 4B,2T,4W | |
| Front | Strut Top & Bearing | BS10VTU | 1 | 2B,2Bea | |
| Front | Strut Top Bushing | BS11VTU | 1 | 2B,2T | Replaces original part number 92048903, Bearing not included in kit, for bearing order SPF1590BK |
| Front | Sway Bar Link Bushing Kit | BS12VTU | 1 | 4B | Strut end only, Vehicle has ball joint type end at sway bar, must re-use all origin al washers |
| Front | Sway Bar Link Rod Kit | BS13VTU | 1 | 4B,2LR,1IS | |
| Front | Sway Bar Mount To Chassis Bushing | BS14VTU | 1 | 2B | Measure bar diameter & supply size, Kit will only suit factory bracket |
| Rear | Control Arm-Bush Kit | BS15VTU | 2 | 4B,2T | |
| Rear | Cross-member Supplement Washers | BS17VTU | 1 | 4B | HSV series use lower bushing only, as factory is solid top |
| Rear | IRS Adjusting Camber & Toe Kit | BS18VTU | 1 | 8B,4T,1IS | Suited to vehicles without "Factory Toe Adjusting Arm" |
| Rear | IRS Adjusting Camber Only Kit | BS17VXU | 1 | 4B,2T | Suited to vehicles fitted with "Factory Toe Adjusting Arm" |
| Rear | IRS Adjusting Kit Toe Only Bushing | BS18VXU | 1 | 4B,2T | Suited to vehicles without "Factory Toe Adjusting Arm" |
| Rear | IRS Bushing Removal Tool | BS19VXU | 1 | 4B,2T | Specialised tool for removal of OE bushings |
| Rear | Shock Absorber Upper Bushing | BS21VXU | 1 | 4B | |
| | | | | | |

| Rear | Spring Insulator Upper Bushing | BS22VXU | 2 | 1B | IRS Raises vehicle approximately 9mm |
|------|------------------------------------|---------|---|-------|--|
| Rear | Spring Insulator Upper Bushing | BS23VXU | 2 | 1B | IRS Raises vehicle approximately 12mm |
| Rear | Spring Insulator Upper Bushing | BS24VXU | 2 | 1B | IRS Raises vehicle approximately 15mm |
| Rear | Sub Frame Front Bushing | BS25VXU | 1 | 4B,2T | IRS Only, Standard Replacement |
| Rear | Sub Frame Front Bushing | BS26VXU | 1 | 4B,2T | IRS Only, Competition/Race Only |
| Rear | Sway Bar Link Bushing Kit | BS27VXU | 1 | 8B,4T | |
| Rear | Sway Bar Mount To Cross-member Kit | BS28VXU | 1 | 2B | Measure bar diameter 12,14,15,17,18,19,20,22,24,25mm |

Monaro, GTO 12/2001 - 2006

| LOCATION | DESCRIPTION | | KIT | CONTENTS | DETAILS |
|----------|---|---------|-----|--------------|--|
| Front | Coil Spring Spacer Bushing | BS01MNR | 2 | 1B | |
| Front | Coil Spring Spacer Bushing | BS02MNR | 2 | 1B | |
| Front | Control Arm Lower- Inner Bushing | BS03MNR | 1 | 2B,2T | |
| Front | Spring Insulator Bushing | BS05MNR | 1 | 2B | Upper replacement of OE # 92002882 |
| Front | Steering Rack & Pinion Mount Bushing | BS06MNR | 1 | 1B | Left hand side only, Replaces OE# 92140790 |
| Front | Strut Bar To Chassis Mount Kit | BS07MNR | 1 | 2B,2T,10W,2P | Caster adjustable kit |
| Front | Strut Bar To Lower Control Arm Kit | BS08MNR | 1 | 4B,2T | Suited to cast steel arms, Comfort option to be used with BS07MNR |
| Front | Strut Bar To Lower Control Arm Kit | BS09MNR | 1 | 4B,2T,4W | |
| Front | Strut Top & Bearing | BS10MNR | 1 | 2B,2Bea | |
| Front | Strut Top Bushing | BS11MNR | 1 | 2B,2T | Replaces original part number 92048903, Bearing not included in kit, for bearing order SPF1590BK |

| Kit Front Sway Bar Link Bushing Kit Front Sway Bar Link Rod Kit Front Sway Bar Link Rod Kit Front Sway Bar Mount To Chassis Bushing Rear Control Arm-Bush Kit Rear Cross-member Supplement Washers Kit BS29MNR 1 4B Strut end only, If vehicle has ball joint type end at swar bar 4B,2LR,1IS BS12MNR 1 2B Measure bar diameter & supply size, Kit will only suit factory bracket 4B,2T HSV series use lower bushing only, as factory is solid top | F., | Occurs David Sale Decaletion | DOCOMAND | 4 | 4D | |
|--|-------|------------------------------|----------|---|------------|--|
| Front Sway Bar Link Rod Kit BS12MNR 1 4B,2LR,1IS Front Sway Bar Mount To Chassis Bushing Rear Control Arm-Bush Kit BS14MNR 2 4B,2T Rear Cross-member Supplement Washers BS30MNR 1 4B HSV series use lower bushing only, as factory is solid top | Front | = | BS33MNR | 1 | 4B | |
| Front Sway Bar Mount To Chassis Bushing Rear Control Arm-Bush Kit BS14MNR 2 4B,2T Rear Cross-member Supplement Washers BS15MNR 1 2B Measure bar diameter & supply size, Kit will only suit factory bracket HSV series use lower bushing only, as factory is solid top | Front | | BS29MNR | 1 | 4B | Strut end only, If vehicle has ball joint type end at sway bar |
| Chassis Bushing Rear Control Arm-Bush Kit BS14MNR 4B,2T Cross-member Supplement Washers Supplement Washers Factory bracket 4B,2T HSV series use lower bushing only, as factory is solid top | Front | Sway Bar Link Rod Kit | BS12MNR | 1 | 4B,2LR,1IS | |
| Rear Cross-member BS30MNR 1 4B HSV series use lower bushing only, as factory is solid top | Front | • | BS15MNR | 1 | 2B | |
| Supplement Washers top | Rear | Control Arm-Bush Kit | BS14MNR | 2 | 4B,2T | |
| Rear IRS Adjusting Camber BS16MNR 1 8B,4T,1IS Suited to vehicles without "Factory Toe Adjusting Arm | Rear | | BS30MNR | 1 | 4B | HSV series use lower bushing only, as factory is solid top |
| & Toe Kit | Rear | | BS16MNR | 1 | 8B,4T,1IS | Suited to vehicles without "Factory Toe Adjusting Arm" |
| Rear IRS Adjusting Camber BS17MNR 1 4B,2T Suited to vehicles fitted with "Factory Toe Adjusting Arm" | Rear | | BS17MNR | 1 | 4B,2T | , , , |
| Rear IRS Adjusting Kit Toe BS18MNR 1 4B,2T Suited to vehicles without "Factory Toe Adjusting Arm Only Bushing | Rear | | BS18MNR | 1 | 4B,2T | Suited to vehicles without "Factory Toe Adjusting Arm" |
| Rear IRS Bushing Removal BS19MNR 1 4B,2T Specialised tool for removal of OE bushings Tool | Rear | | BS19MNR | 1 | 4B,2T | Specialised tool for removal of OE bushings |
| Rear Shock Absorber Upper BS21MNR 1 4B Solid & IRS axle Bushing | Rear | | BS21MNR | 1 | 4B | Solid & IRS axle |
| Rear Spring Insulator Upper BS22MNR 2 1B IRS Raises vehicle approximately 9mm Bushing | Rear | | BS22MNR | 2 | 1B | IRS Raises vehicle approximately 9mm |
| Rear Spring Insulator Upper BS23MNR 2 1B IRS Raises vehicle approximately 12mm Bushing | Rear | | BS23MNR | 2 | 1B | IRS Raises vehicle approximately 12mm |
| Rear Spring Insulator Upper BS24MNR 2 1B IRS Raises vehicle approximately 15mm Bushing | Rear | | BS24MNR | 2 | 1B | IRS Raises vehicle approximately 15mm |
| Rear Sub Frame Front BS25MNR 1 4B,2T IRS Only, Standard Replacement Bushing | Rear | | BS25MNR | 1 | 4B,2T | IRS Only, Standard Replacement |
| Rear Sub Frame Front BS26MNR 1 4B,2T IRS Only, Competition/Race Only Bushing | Rear | | BS26MNR | 1 | 4B,2T | IRS Only, Competition/Race Only |
| Rear Sway Bar Link Bushing BS27MNR 1 8B,4T Kit | Rear | | BS27MNR | 1 | 8B,4T | |
| Rear Sway Bar Mount To BS28MNR 1 2B Measure bar diameter Cross-member Kit 12,14,15,17,18,19,20,22,24,25mm | Rear | | BS28MNR | 1 | 2B | |

VYII - VZ Crewman & One Tonner, 2WD 8/2003 - 2007

| LOCATION | DESCRIPTION | | KIT | CONTENTS | DETAILS |
|----------|---|--------|-----|--------------|---|
| Front | Coil Spring Spacer Bushing | BS01CM | 2 | 1B | |
| Front | Coil Spring Spacer Bushing | BS02CM | 2 | 1B | |
| Front | Control Arm Lower- Inner Bushing | BS03CM | 1 | 2B,2T | |
| Front | Front End Alignment | BS04CM | 1 | 2B,2T | SPF2339Kx1, SPF0756Kx1, SPF1232Kx1 |
| Front | Spring Insulator Bushing | BS05CM | 1 | 2B | Upper replacement of OE # 92002882 |
| Front | Steering Rack & Pinion Mount Bushing | BS06CM | 1 | 1B | Left hand side only, Replaces OE# 92140790 |
| Front | Strut Bar To Chassis Mount Kit | BS07CM | 1 | 2B,2T,10W,2P | Caster adjustable kit |
| Front | Strut Bar To Lower Control Arm Kit | BS08CM | 1 | 4B,2T | Suited to cast steel arms, Comfort option to be used with BS07CM |
| Front | Strut Bar To Lower Control Arm Kit | BS09CM | 1 | 4B,2T,4W | |
| Front | Strut Top & Bearing | BS10CM | 1 | 2B,2Bea | |
| Front | Strut Top Bushing | BS11CM | 1 | 2B,2T | Replaces original part number 92048903, Bearing not included in kit, for bearing order BS10CM |
| Front | Sway Bar Link Bushing Kit | BS12CM | 1 | 4B | Strut end only, Vehicle has ball joint type end at sway bar, must re-use all original washers |
| Front | Sway Bar Link Rod Kit | BS13CM | 1 | 4B,2LR,1IS | |
| Front | Sway Bar Mount To Chassis Bushing | BS14CM | 1 | 2B | Measure bar diameter & supply size, Kit will only suit factory bracket |
| Rear | Bump Stop | BS30CM | 1 | 2B,2P | Lowered suspension only |
| Rear | Spring Front Eye Bushing | BS31CM | 1 | 4B,2T | |
| Rear | Spring Rear Bushing | BS32CM | 1 | 8B | |
| Rear | Sway Bar Mount To Chassis Bushing | BS33CM | 1 | 2B | Measure bar diameter, 14mm available |
| | | | | | |

VYII - VZ Crewman Cross 8, 4WD 11/2003 - 2007

| LOCATION | DESCRIPTION |
|----------|-------------|
|----------|-------------|

| KIT CONTENTS | DETAILS |
|--------------|---------|
|--------------|---------|

| Front | Spring Insulator Bushing | BS05C8 | 1 | 2B | Upper replacement of OE # 92002882 |
|-------|--------------------------------------|--------|---|---------|--|
| Front | Strut Top & Bearing | BS10C8 | 1 | 2B,2Bea | |
| Front | Strut Top Bushing | BS11C8 | 1 | 2B,2T | Replaces original part number 92048903, Bearing not included in kit, for bearing order SPF1590BK |
| Front | Sway Bar Mount To Chassis Bushing | BS14C8 | 1 | 2B | Measure bar diameter & supply size, Kit will only suit factory bracket |
| Rear | Bump Stop | BS30C8 | 1 | 2B,2P | Lowered suspension only |
| Rear | Spring Front Eye Bushing | BS31C8 | 1 | 4B,2T | |
| Rear | Spring Rear Bushing | BS34C8 | 1 | 12B,2T | Complete rear leaf spring bushing kit |
| Rear | Spring Rear Bushing | BS32C8 | 1 | 8B | |
| Rear | Sway Bar Mount To Chassis Bushing | BS33C8 | 1 | 2B | Measure bar diameter, 14mm available |

VY / VZ Sedan Wagon 10/2002 - 2006

| LOCATION | DESCRIPTION | | KIT | CONTENTS | DETAILS |
|----------|---|----------|-----|--------------|--|
| Front | Coil Spring Spacer Bushing | BS01VYVZ | 2 | 1B | |
| Front | Coil Spring Spacer Bushing | BS02VYVZ | 2 | 1B | |
| Front | Control Arm Lower- Inner Bushing | BS03VYVZ | 1 | 2B,2T | |
| Front | Front End Alignment | BS04VYVZ | 1 | 2B,2T | BS07VYVZx1, BS09VYVZx1, BS03VYVZx1 |
| Front | Spring Insulator Bushing | BS05VYVZ | 1 | 2B | Upper replacement of OE # 92002882 |
| Front | Steering Rack & Pinion Mount Bushing | BS06VYVZ | 1 | 1B | Not KYB housing, Left hand side only, Replaces OE# 92140790 |
| Front | Strut Bar To Chassis Mount Kit | BS07VYVZ | 1 | 2B,2T,10W,2P | Caster adjustable kit |
| Front | Strut Bar To Lower Control Arm Kit | BS08VYVZ | 1 | 4B,2T | Suited to cast steel arms, Comfort option to be used with BS07VYVZ |
| Front | Strut Bar To Lower Control Arm Kit | BS09VYVZ | 1 | 4B,2T,4W | |
| Front | Strut Top & Bearing | BS10VYVZ | 1 | 2B,2Bea | |

| Front | Strut Top Bushing | BS11VYVZ | 1 | 2B,2T | Replaces original part number 92048903, Bearing not |
|-------------------------------|---|---|---|--|---|
| | | | | | included in kit, for bearing order BS11VYVZ |
| Front | Sway Bar Link Bushing Kit | BS12VYVZ | 1 | 4B | Strut end only, Vehicle has ball joint type end at sway bar, must re-use all origin al washers |
| Front | Sway Bar Link Rod Kit | BS13VYVZ | 1 | 4B,2LR,1IS | **VY models Only** Does not Fit VZ Models |
| Front | Sway Bar Mount To Chassis Bushing | BS14VYVZ | 1 | 2B | Measure bar diameter & supply size, Kit will only suit factory bracket |
| Rear | Control Arm-Bush Kit | BS15VYVZ | 2 | 4B,2T | |
| Rear | Cross-member Supplement Washers | BS16VYVZ | 1 | 4B | HSV series use lower bushing only, as factory is solid top |
| Rear | IRS Adjusting Camber Only Kit | BS17VYVZ | 1 | 4B,2T | Suited to vehicles fitted with "Factory Toe Adjusting Arm" |
| Rear | IRS Bushing Removal Tool | BS18VYVZ | 1 | 4B,2T | Specialised tool for removal of OE bushings |
| Rear | Shock Absorber Upper Bushing | BS19VYVZ | 1 | 4B | |
| Rear | Spring Insulator Upper Bushing | BS21VYVZ | 2 | 1B | IRS Raises vehicle approximately 9mm |
| Rear | Spring Insulator Upper Bushing | BS22VYVZ | 2 | 1B | IRS Raises vehicle approximately 12mm |
| Rear | Spring Insulator Upper Bushing | BS23VYVZ | 2 | 1B | IRS Raises vehicle approximately 15mm |
| Rear | Sub Frame Front Bushing | BS24VYVZ | 1 | 4B,2T | IRS Only, Standard Replacement |
| Rear | Sub Frame Front Bushing | BS25VYVZ | 1 | 4B,2T | IRS Only, Competition/Race Only |
| Rear | Sway Bar Link Bushing Kit | BS26VYVZ | 1 | 8B,4T | |
| Rear | Sway Bar Mount To Cross-member Kit | BS27VYVZ | 1 | 2B | Measure bar diameter 12,14,15,17,18,19,20,22,24,25mm |
| Rear | IRS Adjusting Camber & Toe Kit | BS28VYVZ | 1 | 8B,4T,1IS | Suited to vehicles without "Factory Toe Adjusting Arm" |
| Rear | IRS Adjusting Kit Toe Only Bushing | BS29VYVZ | 1 | 4B,2T | Suited to vehicles without "Factory Toe Adjusting Arm" |
| Rear Rear Rear Rear Rear Rear | Spring Insulator Upper Bushing Spring Insulator Upper Bushing Sub Frame Front Bushing Sub Frame Front Bushing Sway Bar Link Bushing Kit Sway Bar Mount To Cross-member Kit IRS Adjusting Camber & Toe Kit IRS Adjusting Kit Toe | BS23VYVZ BS24VYVZ BS25VYVZ BS26VYVZ BS27VYVZ BS28VYVZ | | 1B 4B,2T 4B,2T 8B,4T 2B 8B,4T,1IS | IRS Raises vehicle approximately 15mm IRS Only, Standard Replacement IRS Only, Competition/Race Only Measure bar diameter 12,14,15,17,18,19,20,22,24,25mm Suited to vehicles without "Factory Toe Adjusting |

VE Sedan Wagon Ute 2006 - 2010

| LOCATION | DESCRIPTION | | KIT | CONTENTS | DETAILS |
|----------|--|--------|-----|----------|---|
| F&R | Bump Stop Kit | BS01VE | 1 | 4B | Front & Rear, Designed to suit lowered vehicles |
| | Control Arm Lower- Inner Bushing | BS02VE | 1 | 2B,2T | Remove original shell |
| Front | Front End Alignment | BS03VE | 1 | 2B,2T | BS02VEx1, BS06VEx1 |
| | Steering Rack & Pinion Mount Bushing | BS04VE | 1 | 1B | Passenger side only as drivers side is solid |
| Front | Strut Bar Caster Plates | BS05VE | 1 | 1N,2P | Designed to Increase or Decrease, +/- 1 Degree (1 x Kit Required Per Side) |
| | Strut Bar To Chassis Mount Kit | BS06VE | 1 | 2B,2T,2S | |
| Front | Strut Top & Bearing | BS07VE | 1 | 2B,2Bea | |
| Front | Strut Top Bushing | BS08VE | 1 | 2B,2T | Replaces original part number 92048903, Bearing not included in kit, for bearing order BS07VE |
| | Sway Bar Mount Bushing | BS09VE | 1 | 2B | Measure bar diameter as 23 & 26mm available |
| | Control Arm Lower- Inner & Outer Kit | BS10VE | 1 | 4B,4T | Front Arm, Inner bushing is located in the arm & the outer is in the knuckle |
| | Control Arm Lower- Inner Bushing | BS11VE | 1 | 2B,2T | Rear Arm, Bushing located in arm |
| | Control Arm Lower- Outer Bushing | BS12VE | 1 | 2B,2T | Rear Arm, Bushing located in knuckle |
| | Control Arm Upper- Inner Rear Kit | BS13VE | 1 | 2B,2T,2S | Note: Front bushing is a ball joint style mount |
| | Differential to Subframe Mount Kit | BS14VE | 1 | 6B,3T | |
| Rear | Spring Seat Bushing | BS15VE | 1 | 2B | |
| | Subframe to Chassis Spacer on Front Mount | BS16VE | 1 | 2B | SuperPro replaces original rubber bushing as per photo |
| Rear | Subframe Void Fillers | BS17VE | 1 | 4B | Bottom |
| Rear | Subframe Void Fillers | BS18VE | 1 | 4B | Тор |
| | Sway Bar Mount Bushing | BS19VE | 1 | 2B | Measure bar diameter as 12,13,14,15,16,17,18,19,20,22,24 & 25mm are |
| | Toe Control Arm - Inner Bushing | BS20VE | 1 | 2B,2T | Outer is Hyme joint |